

TECHNICAL SPECIFICATION

DECOR CLASSIC SENSOR



Technical data

- Nominal voltage: 230V / 50-60Hz
- PIR sensor
 - Detection Range: 360°
 - Detection distance: MAX 6m
 - Time Delay: 10 ± 3sec to 7min ± 2min (adjustable)
 - Ambient light: <3-2000 lux (adjustable)
 - Detection motion speed: 0.6 – 1.5m/s
 - Installation height: 2.2-4m
- Lampholder: 2xE27
- Material: Metal with glass

Areas of application

- General illumination
- Domestic applications
- Schools
- Home interior

Dimensions

Description	Colour	Lampholder	Size		Cat. Number
			Width/Diameter	Length	
Ceiling lamp	White	2xE27	300	-	958300WH
Ceiling lamp	Satin nickel	2xE27	300	-	958300MCH
Ceiling lamp	White	2xE27	300	300	958120WH
Ceiling lamp	Satin nickel	2xE27	300	300	958120MCH

Product benefits

- Environmentally friendly - no mercury and lead
- Ceiling fixture with movement sensor
- No need of electrical switches for turning on/off the light
- Attractive design
- No ultraviolet and infrared rays
- Resistant to shock and vibration stable body
- Low heat emission

Energy efficiency

