

TECHNICAL SPECIFICATION

Alloy Spotlights SA-710 / SA-910



Technical data

- Operating voltage: 12V
- Lamp power: max.50W
- Material: Aluminum alloy
- Installation: Indoor recessed mounting
- Lampholder (commercial kit): GU5.3 silicone cable 0,75 mm² and a length of 100mm
- Light source (optional): Recommended MR-16 lamp, socket GU5.3, Voltage - 12V, diameter - 50mm
- Body color: white, chrome, satin nickel, gold, antique brass
- Model options: fixed (SA-710) / moveable (SA-910)
- Dust and humidity protection level: IP20
- Protection against electric shock: III
- Protection against ignition and fire: Class F

Note: With the purchase of additional lampholder GU10, spotlight can be used with 230V GU10 lamps.


Areas of application

- Hotels
- Restaurants
- Shops
- Conference Halls
- Corridors

Product benefits

- Compact size
- Variety of colors
- Ideal for flexible and attractive architectural solutions

Variants and dimension




- Fixed spotlight – SA-710

Model	Size (mm)			Colour body	Catalogue number	Packing (pcs)
	Diameter	Height	Diameter 1			
SA-710	78	30	60	white	9271/W	100
SA-710	78	30	60	chrome	9271/CH	100
SA-710	78	30	60	satin nickel	9271/SN	100
SA-710	78	30	60	gold	9271/G	100
SA-710	78	30	60	antique brass	9271/AB	100

- Moveable spotlights – SA-910

Model	Size (mm)			Colour body	Catalogue number	Packing (pcs)
	Diameter	Height	Diameter 1			
SA-910	83	30	73	white	9291/W	100
SA-910	83	30	73	chrome	9291/CH	100
SA-910	83	30	73	satin nickel	9291/SN	100
SA-910	83	30	73	gold	9291/G	100
SA-910	83	30	73	antique brass	9291/AB	100

Energy efficiency



Barcodes

Barcode	Catalogue number
3800131161697	9271/W
3800131161703	9271/CH
3800131161710	9271/SN
3800131161727	9271/G
3800131161734	9271/AB
3800131161741	9291/W
3800131161758	9291/CH
3800131161765	9291/SN
3800131161772	9291/G
3800131161789	9291/AB

Standards

EN 60598-1

EN 60598-2-2

