

TECHNICAL SPECIFICATION

LED Track lights SKY TL808



Technical data

- Power: 12W
- Colour temperature: 4000K; 2700K
- Rated voltage: 230V / 50/60Hz
- Lumens /whole fixture/: 900lm
- Light source: LED lamp PAR30
- Switch on/off > 20000
- Protection against dust and moisture: IP20
- Housing: aluminum
- Colour of the housing: white; black
- Long life: 30000 hours
- Beam angle: 38°
- Power factor $\lambda > 0.9$
- Colour rendering index: $Ra \geq 80$


Areas of application

- Commercial sites
- Administrative buildings
- Banks, Schools
- Hospitals
- Entertainment and leisure spots

Product benefits

- Completely replace traditional lighting fixtures
- Pleasant and uniform light distribution
- Low power consumption
- Repeated switch on/off does not affect the lifespan
- Instant light with maximum luminous flux
- Environmentally friendly - no mercury and lead
- No ultraviolet and infrared rays
- Resistant to shock and vibration-free body
- Low heat emission

Variants and dimensions




Watt	LED chip lumens (lm)	Whole fixture lumens	Colour temp.	Colour body	Size			Catalogue number	Packing (pcs)
					L	D	H		
12W	1440	900	4000K	white	150	100	210	93SKY340	1
12W	1440	900	2700K	white	150	100	210	93SKY327	1
12W	1440	900	4000K	black	150	100	210	93SKY440	1
12W	1440	900	2700K	black	150	100	210	93SKY427	1

Barcodes

Barcode	Catalogue number
3800131190819	93SKY340
3800131190826	93SKY327
3800131190833	93SKY440
3800131190840	93SKY427

Energy efficiency



Standards

EN 55015

EN 61000-3-2

EN 61000-3-3

EN 61547

EN 60598-1

EN 60598-2-2

